

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Sprayable seam sealer 290ml grey
Product code : SSS 200

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Consumer use, Professional use
Use of the substance/mixture : Adhesives, sealants

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Chemical Europe NV
Baarbeek, 2
2070 Zwijndrecht
T +32 (0) 3 234 87 80 - F +32 (0) 3 234 87 89
info@chemicar.eu

1.4. Emergency telephone number

Emergency number : +32 (0) 3 760 08 09

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains trimethoxyvinylsilane; trimethoxy(vinyl)silane. May produce an allergic reaction.
EUH210 - Safety data sheet available on request.
inhalable particles of dusts or mists can occur during use.
EUH212 - Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

Nordic countries regulation

Denmark

MAL code : 00-3

2.3. Other hazards

Mixture does not contain substance (s) classified as PBT or vPvB in concentrations above 0,1%.
Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII
Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Sprayable seam sealer 290ml grey

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
3-(Trimethoxysilyl)propylamine	CAS-No.: 13822-56-5 EC-No.: 237-511-5	1 – 2.5	Skin Irrit. 2, H315 Eye Dam. 1, H318
trimethoxyvinylsilane; trimethoxy(vinyl)silane	CAS-No.: 2768-02-7 EC-No.: 220-449-8 EC Index-No.: 014-049-00-0	0.1 – 2.5	Skin Sens. 1B, H317
TITANIUM DIOXIDE	CAS-No.: 13463-67-7 EC-No.: 236-675-5	0.01 – 2.5	Not classified

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: Wash off with soap and plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist if irritation persists.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation.
Symptoms/effects after skin contact	: May cause irritation to skin. Developmental. METHANOL.
Symptoms/effects after eye contact	: mild eye irritation.
Symptoms/effects after ingestion	: Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. Foam. Dry powder. Carbon dioxide. Water spray jet.
Unsuitable extinguishing media	: None to our knowledge.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO ₂). Nitrogen oxide. Methanol. Formaldehyde. At high temperature may liberate toxic gases.
--	---

Sprayable seam sealer 290ml grey

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

- Protection during firefighting : SECTION 8 : Personal protection. Do not breathe fumes from fires or vapours from decomposition.
- Other information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : No open flames. No smoking. Avoid contact with skin and eyes. Spilled material may present a slipping hazard. Ensure adequate air ventilation.

6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

- Protective equipment : For further information refer to section 8: "Exposure controls/personal protection". Do not attempt to take action without suitable protective equipment.

6.2. Environmental precautions

Avoid release to the environment. Do not discharge the waste into the drain. Stop leak if safe to do so. Do not allow material to contaminate ground water system.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Binding agent. Take up liquid spill into absorbent material, e.g.: sand. Sawdust. Wash non-recoverable remainder with large amounts of water.
- Other information : SECTION 13.

6.4. Reference to other sections

SECTION 13. SECTION 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Take care of instructions on label. Wash hands immediately after handling the product.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Avoid contact with eyes. For minor skin contact, avoid spreading material to unaffected skin.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep away from food, drink and animal feeding stuffs. Always wash your hands immediately after handling this product, and once again before leaving the workplace.
- Maximum storage period : 1 year
- Storage area : Store away from heat.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Sprayable seam sealer 290ml grey

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sprayable seam sealer 290ml white

EU - Indicative Occupational Exposure Limit (IOEL)

Local name	Titaandioxide (13463-67-7)
IOEL TWA	10 mg/m ³

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Sprayable seam sealer 290ml white

DNEL/DMEL (Workers)

Acute - systemic effects, dermal	84 mg/m ³
Acute - local effects, inhalation	0.091 mg/m ³
Long-term - systemic effects, dermal	0.07 mg/kg bw/day
Long-term - systemic effects, inhalation	84 mg/m ³
Long-term - local effects, inhalation	0.091 mg/m ³

PNEC (Water)

PNEC aqua (freshwater)	0.026 mg/l
PNEC aqua (marine water)	0.0026 mg/l
PNEC aqua (intermittent, freshwater)	0.26 mg/l

PNEC (Sediment)

PNEC sediment (freshwater)	0.155 mg/kg dwt
PNEC sediment (marine water)	0.0155 mg/kg dwt

PNEC (Soil)

PNEC soil	0.0158 mg/kg dwt
-----------	------------------

PNEC (STP)

PNEC sewage treatment plant	1 mg/l
-----------------------------	--------

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Wear a self contained breathing apparatus. BS EN 14042.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Use eye protection according to EN 166, designed to protect against liquid splashes.

Sprayable seam sealer 290ml grey

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eye protection			
Type	Field of application	Characteristics	Standard
Protective goggles			EN 166

8.2.2.2. Skin protection

Skin and body protection:

Long sleeved protective clothing

Skin and body protection	
Type	Standard
Safety shoes	EN ISO 20345

Hand protection:

Protective gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemical resistant gloves (according to European standard ISO 374-1 or equivalent), Wear rubber gloves, Butyl-rubber protective gloves	Butyl rubber, Nitrile rubber (NBR)				EN ISO 374

Other skin protection

Materials for protective clothing:

Wear suitable protective clothing

8.2.2.3. Respiratory protection

Respiratory protection:

None under normal use

8.2.2.4. Thermal hazards

Thermal hazard protection:

None to our knowledge.

8.2.3. Environmental exposure controls

Environmental exposure controls:

No information available.

Consumer exposure controls:

No information available.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: characteristic.
Appearance	:
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not available

Sprayable seam sealer 290ml grey

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Explosive limits	: Not applicable
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: Not available
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1.5 g/cm ³
Relative density	: Not available
Relative vapour density at 20°C	: 0
Particle size	: Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : < 0.1 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product has not been tested.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Moisture. Do not expose to heat.

10.5. Incompatible materials

on contact with alkalis. Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. May slowly hydrolyze in the presence of water. Reacts slowly in moist air. Methanol.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Sprayable seam sealer 290ml grey

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sprayable seam sealer 290ml white

LD50 oral rat	2500 ml/kg
LD50 dermal rat	> 2000 mg/kg

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The substance/mixture has no endocrine disrupting properties.

11.2.2. Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Sprayable seam sealer 290ml white

Mixture does not contain substance (s) classified as PBT or vPvB in concentrations above 0,1%.

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

Sprayable seam sealer 290ml grey

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Do not discharge into drains.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Ecology - waste materials	: Avoid release to the environment.
European List of Waste (LoW, EC 2150/2002)	: 08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances 08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09 15 01 01 - paper and cardboard packaging 15 01 02 - plastic packaging

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN
14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Sprayable seam sealer 290ml grey

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content : < 0.1 %

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed
SZW-lijst van mutagene stoffen : None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

	inhalable particles of dusts or mists can occur during use
EUH208	Contains trimethoxyvinylsilane; trimethoxy(vinyl)silane. May produce an allergic reaction.
EUH210	Safety data sheet available on request.
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1

Sprayable seam sealer 290ml grey

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.