

HONDA	SAFETY DATA SHEET	Page : 1 / 13
		Revision nr : 3.0
		Issue date : 28/05/2021
	Ultra Cushion Oil 10W	Supersedes : 06/06/2016
		HONDA-183

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Trade name : Ultra Cushion Oil 10W
 Product code : 0820899922/3
 Product group : Trade product
 Document no. : HONDA-183

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
 Main use category : Consumer use
 Use of the substance/mixture : Lubricants

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Honda Motor Europe Logistics NV
 Langerbruggestraat 104
 9000 Gent - BELGIUM
 T +32 (0)9 250 1211 - F +32 (0)9 250 1230
HMEL.SDS@honda-eu.com

1.4. Emergency telephone number

Emergency number : +32 (0)3 575 0330
 This telephone number is available 24 hours per day, 7 days per week.

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0844 892 0111 (UK only, 24/7, healthcare professionals only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

HONDA	SAFETY DATA SHEET	Page : 2 / 13
		Revision nr : 3.0
		Issue date : 28/05/2021
	Ultra Cushion Oil 10W	Supersedes : 06/06/2016
		HONDA-183

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Extra phrases : EUH210 - Safety data sheet available on request.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Lubricating oils, DMSO < 3%

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lubricating oils	(CAS-No.) 74869-22-0 (EC-No.) 278-012-2	30 – < 50	Asp. Tox. 1, H304


Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Additional advice : First aider: Pay attention to self-protection!. See also section 8 . Never give anything by mouth to an unconscious person. Treat symptomatically. Show this safety data sheet to the doctor in attendance. In case of doubt or persistent symptoms, consult always a physician.

Inhalation : Remove casualty to fresh air and keep warm and at rest. In case of doubt or persistent symptoms, consult always a physician.

	SAFETY DATA SHEET	Page : 3 / 13
		Revision nr : 3.0
		Issue date : 28/05/2021
	Ultra Cushion Oil 10W	Supersedes : 06/06/2016
		HONDA-183

Skin contact	: After contact with skin, wash immediately with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. In case of doubt or persistent symptoms, consult always a physician.
Eyes contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of doubt or persistent symptoms, consult always a physician.
Ingestion	: Rinse mouth thoroughly with water. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	: May cause irritation of the mucous membranes.
Skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Eyes contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
Ingestion	: Mineral oil has laxative properties. May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray, Alcohol resistant foam, Carbon dioxide, Dry extinguishing powder.
Unsuitable extinguishing media	: Strong water jet .

5.2. Special hazards arising from the substance or mixture

Specific hazards	: Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire and/or explosion do not breathe fumes. The hot liquid may cause severe skin burns.
Hazardous decomposition products in case of fire	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

5.3. Advice for firefighters


Firefighting instructions	: Evacuate area. Use water spray or fog for cooling exposed containers. Contain the extinguishing fluids by bunding. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.
Other information	: Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of waste in accordance with environmental legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

For non-emergency personnel	: Evacuate personnel to a safe area. Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required. Reference to other sections 8. Avoid contact with skin and eyes. Do not breathe vapour/aerosol. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
-----------------------------	---

	SAFETY DATA SHEET	Page : 4 / 13
		Revision nr : 3.0
		Issue date : 28/05/2021
	Ultra Cushion Oil 10W	Supersedes : 06/06/2016
		HONDA-183

6.1.2. For emergency responders

For emergency responders : Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Prevent further leakage or spillage. Dam up. Take up liquid spill into absorbent material, e.g.: sand, earth, vermiculite or powdered limestone. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Special danger of slipping by leaking/spilling product. Keep in suitable, closed containers for disposal. Dispose of contaminated materials in accordance with current regulations. Clean contaminated areas thoroughly.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide adequate ventilation. Use personal protective equipment as required. Reference to other sections 8. Do not ingest. Avoid contact with skin and eyes. Do not breathe vapour/aerosol. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Do not burn, or use a cutting torch on, the empty drum. Never use pressure to empty container. After use replace the closing cap immediately. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Do not allow to enter into surface water or drains. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials.

Hygiene measures : Keep good industrial hygiene. Wash hands and face before breaks and immediately after handling of the product. When using do not eat, drink or smoke. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. Keep away from food, drink and animal feedingstuffs.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep container tightly closed in a cool, well-ventilated place. Ensure equipment is adequately earthed. Refer to the detailed list of incompatible materials in section 10 Stability/Reactivity. Store in accordance with local regulations.


Incompatible substances or mixtures : Strong bases.

Heat and ignition sources : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep out of direct sunlight.

Packaging materials : Keep only in the original container.

7.3. Specific end use(s)

Not applicable.

	SAFETY DATA SHEET	Page : 5 / 13
		Revision nr : 3.0
		Issue date : 28/05/2021
	Ultra Cushion Oil 10W	Supersedes : 06/06/2016
		HONDA-183

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ultra Cushion Oil 10W	
EU	Mineral oil OEL's : oil (mist) TLV-TWA (mg/m ³) : 1 (se, no); 5 (be, nl, gb, fr, de, fi, dk) oil (mist) TLV-STEL (mg/m ³) : 3 (se); 10 (be, gb):

Additional information : Personal air monitoring :. Room air monitoring. Recommended monitoring procedures

8.2. Exposure controls

Engineering measure(s)	: Provide adequate ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Take precautionary measures against static discharges. Organisational measures to prevent /limit releases, dispersion and exposure. See also section 7 .
Personal protective equipment	: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Hand protection	: Wear chemically resistant gloves (tested to EN374) . Polyvinyl alcohol or nitrile-butyl-rubber gloves. Breakthrough time : >8h. Thickness of the glove material: >0,3mm. The selection of specific gloves for a specific application and time of use in a working area, should also take into account other factors on the working space, such as (but not limited to): other chemicals that are possibly used, physical requirements (protection against cutting/drilling, skill, thermal protection), and the instructions/specification of the supplier of gloves. The exact break through time can be obtained from the protective glove producer and this has to be observed.
Eye protection	: Use suitable eye protection (EN166): tightly fitting safety goggles
Body protection	: Wear suitable protective clothing. Overalls, apron and boots recommended.
Respiratory protection	: Not required for normal conditions of use. In case of insufficient ventilation, wear suitable respiratory equipment. Half-face mask (DIN EN 140). full face mask (DIN EN 136). Filter type: AP. (EN141)
Thermal hazard protection	: Heat resistant gloves .
Environmental exposure controls	: Do not allow to enter into surface water or drains. Comply with applicable Community environmental protection legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Opaque.
Colour	: dark brown.
Odour	: Characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting / freezing point	: No data available

HONDA	SAFETY DATA SHEET	Page : 6 / 13
		Revision nr : 3.0
		Issue date : 28/05/2021
	Ultra Cushion Oil 10W	Supersedes : 06/06/2016
		HONDA-183

Freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 178 °C (COC)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable, liquid
Vapour pressure	: No data available
Vapour density	: No data available
Relative density	: No data available
Density	: 0,9046 g/cm ³ (15 °C)
Solubility	: Water: Insoluble
Partition coefficient n-octanol/water	: No data available
Kinematic viscosity	: 36,51 mm ² /s (40 °C)
Dynamic viscosity	: No data available
Explosive properties	: Not applicable. The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.
Oxidising properties	: Not applicable. The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.
Explosive limits	: No data available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Other properties : Pour point : -50,0 °C

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions. Reference to other sections : 10.4 & 10.5.

10.2. Chemical stability

Stable under recommended storage conditions.

HONDA	SAFETY DATA SHEET	Page : 7 / 13
		Revision nr : 3.0
		Issue date : 28/05/2021
	Ultra Cushion Oil 10W	Supersedes : 06/06/2016
		HONDA-183

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. See also section 7 .

10.5. Incompatible materials

Strong oxidizing agents. Strong bases. See also section 7 .

10.6. Hazardous decomposition products

Reference to other sections 5.2.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Not classified (Based on available data, the classification criteria are not met)

Lubricating oils (74869-22-0)	
LD50/oral/rat	> 5000 mg/kg (OECD 401)
LD50/dermal/rabbit	> 5000 mg/kg (OECD 402)
LC50/inhalation/4h/rat	5,53 mg/m ³ (OECD 403)

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)
pH: No data available

Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)
pH: No data available

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

Ultra Cushion Oil 10W	
Kinematic viscosity	36,51 mm ² /s (40 °C)

Other information : Symptoms related to the physical, chemical and toxicological characteristics.
For further information see section 4.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

11.2.2 Other information

Other information : Symptoms related to the physical, chemical and toxicological characteristics, For further information see section 4

HONDA	SAFETY DATA SHEET	Page : 8 / 13
		Revision nr : 3.0
		Issue date : 28/05/2021
	Ultra Cushion Oil 10W	Supersedes : 06/06/2016
		HONDA-183

SECTION 12: Ecological information

12.1. Toxicity

Environmental properties	: According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Lubricating oils (74869-22-0)

LC50 - Fish [1]	> 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)

12.2. Persistence and degradability

Ultra Cushion Oil 10W

Persistence and degradability	No information available.
-------------------------------	---------------------------

Lubricating oils (74869-22-0)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

12.3. Bioaccumulative potential

Ultra Cushion Oil 10W

Partition coefficient n-octanol/water	No data available
Bioaccumulative potential	This information is not available.

Lubricating oils (74869-22-0)

Partition coefficient n-octanol/water (Log Kow)	> 6
---	-----

12.4. Mobility in soil

Ultra Cushion Oil 10W

Mobility in soil	This information is not available.
Surface tension	No data available
Ecology - soil	No information available.

12.5. Results of PBT and vPvB assessment

Ultra Cushion Oil 10W

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

HONDA	SAFETY DATA SHEET	Page : 9 / 13
		Revision nr : 3.0
		Issue date : 28/05/2021
	Ultra Cushion Oil 10W	Supersedes : 06/06/2016
		HONDA-183

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

12.7. Other adverse effects

Additional information : No information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Handle with care. See Section 7 for information on safe handling : Handling and storage . Dispose of contaminated materials in accordance with current regulations. Refer to manufacturer/supplier for information on recovery/recycling. Collect and dispose of waste product at an authorised disposal facility. Liquid product may not be disposed of with household waste or landfilled. Do not allow to enter into drains/waters or in the soil.

Additional information : Delivery to an approved waste disposal company.
European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC) : Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities
The following Waste Codes are only suggestions:
130205 - mineral-based non-chlorinated engine, gear and lubricating oils .

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN


ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable				

14.6. Special precautions for user

Special precautions for user : Not applicable

- Overland transport

Not applicable

	SAFETY DATA SHEET	Page : 10 / 13
		Revision nr : 3.0
	Ultra Cushion Oil 10W	Issue date : 28/05/2021
		Supersedes : 06/06/2016
		HONDA-183

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Code: IBC : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

France

No ICPE	Installations classées Désignation de la rubrique	Code Régime	Rayon
na	Not Applicable	na	na

Germany

Regulatory reference : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

Risk classification according to VbF : Not applicable

Hazardous Incident Ordinance (12. BImSchV) : Listed in the 12. BImSchV (Annex I) under: 2.3.1 Ottokraftstoffe und Naphtha
Quantity threshold for operational area under § 1 para. 1

- Sentence 1: 2500000 kg
- Sentence 2: 25000000 kg

Netherlands

Waterbezwaarlijkheid : B (4) - Weinig schadelijk voor in het water levende organismen

Saneringsinspanningen : B - Lozing minimaliseren; toepassen van best uitvoerbare technieken

SZW-lijst van kankerverwekkende stoffen : Lubricating oils is listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

HONDA	SAFETY DATA SHEET	Page : 11 / 13
		Revision nr : 3.0
		Issue date : 28/05/2021
	Ultra Cushion Oil 10W	Supersedes : 06/06/2016
		HONDA-183

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Norway

This safety datasheet has been prepared according to Norwegian legislation. : FOR 2002-07-16 nr 1139: Forskrift om klassifisering, merking mv. av farlige kjemikalier; Forskrift om klassifisering, merking og emballering av stoffer og stoffblandinger (CLP); FOR 2008-05-30 nr 516: Forskrift om registrering, vurdering, godkjenning og begrensning av kjemikalier (REACH-forskriften)

Poland

This safety datasheet has been prepared according to Polish legislation. : Ustawa z dnia 25 lutego 2011 r. o substancjach chemicznych i ich mieszaninach (Dz. U. Nr 63, poz. 322).
 Ustawa z dnia 29 lipca 2005 r. o przeciwdziałaniu narkomanii - tekst ujednolicony
 Ustawa z dnia 13 września 2002 r. o produktach biobójczych - tekst ujednolicony
 Ustawa z dnia 20 kwietnia 2004 r. o zmianie i uchyleniu niektórych ustaw w związku z uzyskaniem przez Rzeczpospolitą Polską członkostwa w Unii Europejskiej - Tzw. "Ustawa Horyzontalna" - w jej art. 48 zapisano zmiany do ustawy o substancjach i preparatach chemicznych
 Ustawa z dnia 18 grudnia 2003 r. o ochronie roślin - Obwieszczenie Marszałka Sejmu Rzeczypospolitej Polskiej z dnia 25 czerwca 2008 r. w sprawie ogłoszenia jednolitego tekstu ustawy o ochronie roślin (Dz.U. Nr 133, poz. 849)
 Ustawa z dnia 11 maja 2001 r. o opakowaniach i odpadach opakowaniowych - tekst ujednolicony - Ustawa ta nie należy do zakresu zadań Biura, jednak zamieszczamy ją tutaj ze względu na liczne zapytania od Państwa.
 Kodeks pracy - tekst ujednolicony - Ustawa z dnia 26 czerwca 1974 r. Kodeks Pracy. Obowiązki pracodawcy odnoszące się do substancji i preparatów chemicznych znajdują się w rozdziale V (Czynniki oraz procesy stwarzające szczególne zagrożenie dla zdrowia lub życia) Działu dziesiątego (Bezpieczeństwo i Higiena Pracy) Kodeksu Pracy.

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes:

	Composition	Modified	
1	SDS Version (obsolete)	Modified	
1	SDS EU format	Modified	
2.2	Extra phrases	Modified	
2.3	ED text	Modified	
4.2	Skin contact	Modified	
4.3	Indication of any immediate medical attention and special	Modified	

HONDA	SAFETY DATA SHEET	Page : 12 / 13
		Revision nr : 3.0
		Issue date : 28/05/2021
	Ultra Cushion Oil 10W	Supersedes : 06/06/2016
		HONDA-183

	treatment needed		
7.2	Incompatible substances or mixtures	Modified	
	Adverse health effects caused by endocrine disrupting properties	Modified	
12.6	Adverse effects on the environment caused by endocrine disrupting properties	Modified	
12.6	Other adverse effects	Modified	

Abbreviations and acronyms:

	ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods Code LEL = Lower Explosive Limit/Lower Explosion Limit UEL = Upper Explosion Limit/Upper Explosive Limit REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
	EC50 = Median Effective Concentration
	LC50 = Median lethal concentration
	LD50 = Median lethal dose
	TLV = Threshold limits
	TWA = time weighted average
	STEL = Short term exposure limit
	NA = Not applicable
	ABM = Algemene beoordelingsmethodiek
	persistent, bioaccumulating and toxic (PBT).
	vPvB = very persistent and very bioaccumulating
	WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

Sources of key data used to compile the datasheet : Name (SDS) : ULTRA CUSHION OIL 10W. Product code : 34051660. Revision date : 11-09-2018. Manufacturer/Supplier : Idemitsu Kosan Co, Ltd. ECHA (European Chemicals Agency), LOLI.

Training advice : Training staff on good practice.

Other information : Assessment/classification CLP. Article 9. Calculation method. Physicochemical hazard assessment: Information given is based on tests on the mixture itself.

Full text of H- and EUH-statements:

Asp. Tox. 1	Aspiration hazard, Category 1
H304	May be fatal if swallowed and enters airways.
EUH210	Safety data sheet available on request.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Classification according to Regulation (EC) No. 1272/2008 [CLP]
Labelling according to Regulation (EC) No. 1272/2008 [CLP]

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our

HONDA	SAFETY DATA SHEET	Page : 13 / 13
		Revision nr : 3.0
		Issue date : 28/05/2021
	Ultra Cushion Oil 10W	Supersedes : 06/06/2016
		HONDA-183

knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.