

FARECLA G360 SUPER FAST COMPOUND

Page: 1

Compilation date: 06/07/2018

Revision date: 18/12/2018

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FARECLA G360 SUPER FAST COMPOUND

Product code: SFC101

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC31: Polishes and wax blends.

1.3. Details of the supplier of the safety data sheet

Company name: Farecla Products Limited Broadmeads

Ware	

Hertfordshire

SG12 9HS

UK

Tel: +44 (0)1920 465041

Fax: +44 (0)1920 466557

Email: technical@farecla.com

1.4. Emergency telephone number

Emergency tel: +44 (0)1920 465041

8:30 - 16:30 (Monday to Friday)

Section 2: Hazards identification

2.1. Classification of the substance or mixture Classification under CLP: -: EUH208 Most important adverse effects: Contains a mixture of: 5-chloro-2-methyl-2h-isothiazol-3-one [ec no 247-500-7] and 2-methyl-2h-isothiazol-3-one [ec no 220-239-6]. May produce an allergic reaction. 2.2. Label elements

EUH208: Contains a mixture of: 5-chloro-2-methyl-2h-isothiazol-3-one [ec no 247-500-7]
and 2-methyl-2h-isothiazol-3-one [ec no 220-239-6]. May produce an allergic reaction.
P102: Keep out of reach of children.
P261: Avoid breathing dust/fumes/vapours.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

FARECLA G360 SUPER FAST COMPOUND

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ALUMINIUM OXIDE - REACH registered number(s): 01-2119529248-35-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent	
215-691-6	1344-28-1	Substance with a Community	-	30-50%	1
		workplace exposure limit.			

HYDROCARBONS, C11-C14, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS - REACH registered number (s): 01-2119456620-43-XXXX

926-141-6	-	-	Asp. Tox. 1: H304; -: EUH066	10-30%			
WHITE MINER	RAL OIL (PETROL	EUM) - REACH registered number(s): 0	1-2119487078-27-XXXX				
232-455-88042-47-5Substance with a Community workplace exposure limit.Asp. Tox. 1: H3041-10%							
DISTILLATES (PETROLEUM) HYDROTREATED MIDDLE - REACH registered number(s): 01-2119457735-29-0003							
919-029-3	64742-46-7	Substance with a Community workplace exposure limit.	Asp. Tox. 1: H304; -: EUH066	<1%			

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Move to fresh air in case of accidental inhalation of vapours. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact. An itchy rash may occur at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

FARECLA G360 SUPER FAST COMPOUND

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: It is recommended to store in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ALUMINIUM OXIDE

Workplace exposure limits:

Respirable dust

State 8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
------------------	--------------	------------	--------------

FARECLA G360 SUPER FAST COMPOUND

UK	-	-	5mg/m3	-			
HYDROCARBONS, C11-C14	, N-ALKANES	6, ISOALKANES, CYCLICS	, < 2% AROMATICS				
EU 1200mg/m	13, 165ppm	-	-	-			
WHITE MINERAL OIL (PETR	OLEUM)		I				
EU	5 mg/m3	_	-	-			
DISTILLATES (PETROLEUM	-						
EU	5 mg/m3						
EU 51119/1115							
DNEL/PNEC Values							
DNEL / PNEC	No data ava	ailable.					
8.2. Exposure controls							
Engineering measures	Ensure ther	e is sufficient ventilation of	he area				
		protective device with partie					
Hand protection:							
	-	ses. Ensure eye bath is to h	and.				
Skin protection: Protective clothing.							
Environmental:		-					
ection 9: Physical and chem	ical propert	ies					
9.1. Information on basic phys	sical and che	mical properties					
State:	Liquid						
Colour:	White						
Odour:	Pleasant						
Evaporation rate:	Negligible						
Oxidising:	Non-oxidisir	ng (by EC criteria)					
Solubility in water:							
Also soluble in:		ailable					
Viscosity:							
Kinematic viscosity:							
Viscosity test method:		-					
Boiling point/range℃:			Melting point/range℃:				
Flammability limits %: lower:		allable.		No data available.			
Flash point℃:		ileble.	Part.coeff. n-octanol/water:				
Autoflammability℃:				No data available.			
Relative density:			pH:	9 - 10			
VOC g/l:	210.5						

9.2. Other information

Other information: Not applicable.

Page: 4

FARECLA G360 SUPER FAST COMPOUND

Page: 5

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ALUMINIUM OXIDE

DUST/MIST	RAT	LC50	7.6	mg/l
ORAL	RAT	LD50	> 2000	mg/kg

HYDROCARBONS, C11-C14, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS

DERMAL	RBT	LD50	> 5000	mg/kg
ORAL	RAT	LD50	> 5000	mg/kg
VAPOURS	RAT	8H LC50	> 5000	mg/l

DISTILLATES (PETROLEUM) HYDROTREATED MIDDLE

DERMAL	RBT	LD50	>3160	mg/kg
ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	4H LC50	>5266	mg/l

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact. An itchy rash may occur at the site of

contact.

Eye contact: There may be irritation and redness.

FARECLA G360 SUPER FAST COMPOUND

Page: 6

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: No data available.

Other information: Not applicable.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

ALUMINIUM OXIDE

Daphnia magna	48H EC50	> 100	mg/l
GREEN ALGA (Selenastrum capricornutum)	48H EC50	> 100	mg/l
Salmo trutta	96H LC50	> 100	mg/l

HYDROCARBONS, C11-C14, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS

Daphnia magna	48H EC50	1000	mg/l
Pseudokirchneriella subcapitata	72H ErC50	1000	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	1000	mg/l

DISTILLATES (PETROLEUM) HYDROTREATED MIDDLE

FISH	96H LC50	1028	mg/l
Invertebrate	48H LL50	>3000	mg/l
MARINE ALGAE (Skeletonema costatum)	72H ErC50	3198	mg/l
MARINE ALGAE (Skeletonema costatum)	72H IC50	3198	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

FARECLA G360 SUPER FAST COMPOUND

13.1. Waste treatment methods

Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal
	company.
Recovery operations:	Not applicable.
Waste code number:	08 04 12
Disposal of packaging:	Dispose of as normal industrial waste.
NB:	The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	EUH066: Repeated exposure may cause skin dryness or cracking.
	EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name>
	H304: May be fatal if swallowed and enters airways.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.